

**(SRI ALUR HANUMANTHAPPA)**

Statement showing the stages of the works and the reasons for the works which are stand still now.

- |   |                           |  |
|---|---------------------------|--|
| 1 | Anchaguli Project.        | Work is nearing completion.  |
| 2 | Keralalu Sandra Project.  | The work is stopped as the tendered Contractor failed to complete the work and his contract has been cancelled. Modified proposals are being examined. |
| 3 | Chikkondanahalli Project. | The work is stopped for the present. The revised estimate is under scrutiny in the department.   |
| 4 | Rayasandra Project.       | The work is completed.   |

**Printing of Fake Notes in the State****3. SRI H. PUTTADASA (Sathanur).—**

Will the Minister for Home and Municipal Administration be pleased to state:—

(a) whether they have received any complaint about printing of Fake notes in the State;

(b) if so, the number of such cases under judicial proceedings?

**A.—SRI R. M. PATIL (Minister for Home and Municipal Administration).—**

(a) Yes.

(b) 4.

**Surgical Instruments to K. R. Hospital, Mysore****4. SRI H. PUTTADASA (Sathanur).—**

Will the Minister for Health and Housing be pleased to state:—

(a) the date on which the surgical instruments were first supplied to K. R. Hospital, Mysore;

(b) the dates on which subsequent additions were made;

(c) the total number of instruments in stock;

(d) the number of instruments considered not useful;

(e) whether it is a fact that the present day surgery requires modern instruments;

(f) if so, the steps taken by them to supply them?

4 —Sri K. PUTTASWAMY (Minister for Health and Housing).—

- (a) During the year 1892.
- (b) Every year through annual indents as and when required.
- (c) 6250.
- (d) About 150 per year.
- (e) Yes.
- (f) Fresh supply is made as and when required.

### Oxygen Cylinders in Combined Hospitals at Mysore

5. Sri H. PUTTADASA (Sathanur).—

Will the Minister for Health and Housing be pleased to state :—

(a) the number of Oxygen Cylinders available in Combined Hospitals (K. R. Chaluvamba and Peadiatric blocks) at Mysore ;

(b) the arrangements available to carry them from downstairs to upstairs ;

(c) the officials in charge of the Cylinders ;

(d) the nature of powers vested with duty doctors to use them immediately in cases of emergency ?

4.—Sri K. PUTTASWAMY (Minister for Health and Housing).

(a) 1. K. R. Hospital :

(i) for Anaesthesia use	...	106
-------------------------	-----	-----

(ii) for Ward use	...	51
-------------------	-----	----

(2) Cheluvamba and Peadiatrics Hospital		66
---	--	----

(b) By lift in K. R. and Chaluvamba Hospital and over the stair case to Peadiatric Block.

(c) 1 For Oxygen Cylinders used for Anaesthesia—Associate Professor of Anaesthesia.

2 For Ward Cylinders :—

The Resident Medical Officers of the respective institutions.

(d) Duty doctors are free to use ward oxygen cylinders for emergency use in the wards and to draw fresh cylinders as and when required from Hospital Stores.